

Permit number \_\_\_\_\_  
Issue Date \_\_\_\_\_  
Extension Date \_\_\_\_\_

Fee Paid \_\_\_\_\_  
RBOH \_\_\_\_\_  
RConCom \_\_\_\_\_

## Town of Richmond Board of Health & Conservation Commission

1529 State Road, Richmond, MA 01254  
Phone: 413-698-3355 Fax: 413-698-3272

### Beaver Conflict Resolution Application and Permit (Permit fee \$75. Not transferable and good for only 10 consecutive days.)

Property Owner \_\_\_\_\_ Date \_\_\_\_\_

Site Address \_\_\_\_\_

Map & Lot # \_\_\_\_\_ Telephone # \_\_\_\_\_ Fax # \_\_\_\_\_

Is the problem entirely on your property?  Yes  No  Don't Know

**If no, all property owners must consent. Please use attached forms.**

Other Property Owners \_\_\_\_\_

Trapper or Consultant \_\_\_\_\_ License # \_\_\_\_\_

Type of Complaint (check all that apply)

property flooding  septic system flooding  road flooding  tree damage  private well threat

culvert blockage  flooding of cropland  threat to public water supply  other \_\_\_\_\_

Signature of Applicant \_\_\_\_\_ Date \_\_\_\_\_

Response:  Site Inspection  Referred to DEP (water supply)  Referred to DFW  ConCom

Comments: \_\_\_\_\_

Date: \_\_\_\_\_ by: \_\_\_\_\_ Recommendation: \_\_\_\_\_

### Conservation Commission Emergency Certification

(Required for breaching dam or installation of flow control devices)

Permission to breach dam \_\_\_\_\_

Permission to employ water flow devices \_\_\_\_\_

Approved by the Richmond Conservation Commission \_\_\_\_\_ Date: \_\_\_\_\_

### 10 - Day Emergency Beaver Permit

In accordance with and pursuant to provisions of MGL Ch.131 Sec. 40, 80A and 321 CMR 2.08 and 10, the applicant and/or his agent may immediately remedy the threat to human health and safety by:

Use of Conibear or Cage Traps  Breaching of Dam(s)\*  Install Water Flow Control Device(s)\*

**\*Conditions of Permit:** Any disturbance within a wetland, such as breaching a dam or installing a water flow control device, shall only be performed with the permission of the Conservation Commission. Breaching a dam requires a plan to prevent sudden flooding downstream. This permit does not allow applicant or his agent to trespass on private property. See attached Trapping Regulations. A copy of this permit should be carried on the person doing the work. **Contractor or Trapper must provide a written report of work done to Board of Health.** Other \_\_\_\_\_

Approved by the Richmond Board of Health: \_\_\_\_\_ Date: \_\_\_\_\_

### 10-Day Emergency Beaver Permit Extension

In accordance with and pursuant to provisions contained in MGL Ch.131 Sec.40, 80A and 321 CMR 2.08 & 10, while awaiting a 30 - day extension emergency permit from the Division of Fisheries & Wildlife, applicant may continue to alleviate the emergency as noted above for ten consecutive days.

Approved by the Richmond Board of Health: \_\_\_\_\_ Date: \_\_\_\_\_

**Town of Richmond**  
**Board of Health & Conservation Commission**

1529 State Road, Richmond, MA 01254  
Phone: 413-698-3355 Fax: 413-698-3272

Beaver Consent Form

I, \_\_\_\_\_ as owner of the property at  
Name (please print)

\_\_\_\_\_  
Street address and Assessor's Map and Lot #

Consent to allow \_\_\_\_\_ who is under

contract with \_\_\_\_\_

\_\_\_\_\_  
Consultant and/or Certified Trapper's Name

\_\_\_\_\_ to enter my property for the

\_\_\_\_\_  
Applicant's Name

purpose of installing water level devices and/or trapping and removing beavers that are causing a threat to public health and safety as determined by the Great Barrington Health Department. I understand that any water level control measures or alteration to wetlands or beaver structures will also be permitted through the Town's Conservation Commission.

\_\_\_\_\_  
Signature  
Rev. 7/24/01

\_\_\_\_\_  
Date

**Town of Richmond**  
**Board of Health & Conservation Commission**

1529 State Road, Richmond, MA 01254

Phone: 413-698-3355 Fax: 413-698-3272

**Beaver Consultant Reporting Form**

Date \_\_\_\_\_

Site Address \_\_\_\_\_

Owner \_\_\_\_\_

Action Taken  
\_\_\_\_\_  
\_\_\_\_\_

Number of Beavers Removed \_\_\_\_\_

Planned Future Activity \_\_\_\_\_  
\_\_\_\_\_

\_\_\_\_\_  
Signature of Consultant

\_\_\_\_\_  
Date

PLEASE RETURN THIS FORM WITHIN 5 WORKING DAYS OF END OF PERMIT PERIOD

Rev. 7.24.01

**Town of Richmond**  
**Board of Health & Conservation Commission**

1529 State Road, Richmond, MA 01254

Phone: 413-698-3355 Fax: 413-698-3272

**BEAVER CONFLICT LIST**

**(This list may not be complete and does not imply any recommendation by the Board of Health. It is provided upon request for informational purposes only and listings are not in any particular order)**  
**(Last updated on 8-5-13)**

**LOCAL TRAPPERS:**

Eric Ives (413) 528-9813

George Houghtlin (413) 229-3689

Sean McMahon (413) 281-9200

**WATER LEVEL DEVICE INSTALLERS:**

Beaver Solutions (413) 585-9145  
Mike and Ruth Callahan

Integrated Wildlife (413) 586-0890  
Don Lafountain

Pioneer Wildlife Control (413) 783-4462